CLAIMS

1. A mixture of phthalocyanine dyes of Formula (1) and salts thereof:

$$\mathsf{MPc} \underbrace{\hspace{1cm} \left(\mathsf{SO_3H} \right)_{\mathsf{x}}^{}}_{\left(\mathsf{SO_2NR}^{1}\mathsf{R}^{2} \right)_{\mathsf{y}}} \\ \left(\mathsf{SO_2NR}^{3}\mathsf{LNR}^{4}\mathsf{R}^{5} \right)_{\mathsf{z}}$$

Formula (1)

wherein:

5

10

20

M is Cu or Ni;

Pc represents a phthalocyanine nucleus of formula;

L is optionally substituted C_{1-20} alkylene, alkyenylene or alkynylene, optionally interrupted by $-O_{-}$, $-NH_{-}$ or $-S_{-}$;

R¹, R², R³ and R⁴ independently are H or optionally substituted C₁₋₄alkyl;

R⁵ is H or an optionally substituted hydrocarbyl; or

R⁴ and R⁵ together with the nitrogen atom to which they are attached represent an optionally substituted aliphatic or aromatic ring system;

x is 0.1 to 3.8;

y is 0.1 to 3.8;

z is 0.1 to 3.8;

the sum of (x+y+z) is 4;and

the substituents, represented by x, y and z, are attached only to a β -position on the phthalocyanine ring.

- 2. A mixture of phthalocyanine dyes according to claim 1 wherein M is Cu.
- 30 3. A mixture of phthalocyanine dyes according to either claim 1 or claim 2 wherein x

has a value of 0.5 to 3.5, y has a value of 0.5 to 3.5 and z has a value of 0.5 to 3.5.

- 4. A mixture of phthalocyanine dyes according to any one of the preceding claims free from fibre reactive groups.
- 5. A mixture of phthalocyanine dyes according to any one of the preceding claims of Formula (2) and salts thereof:

$$MPc \underbrace{ (SO_{3}H)_{x}}_{(SO_{2}NR^{1}R^{2})_{y}}$$

$$\underbrace{ (SO_{2}NR^{3}L^{1}NR^{6}R^{7})_{z}}_{(SO_{2}NR^{3}L^{1}NR^{6}R^{7})_{z}}$$

10

5

Formula (2)

wherein:

M Cu or Ni;

Pc represents a phthalocyanine nucleus of formula;

15

L¹ is optionally substituted C₁₋₈ alkylene optionally interrupted by -O-, -NH- or -S-;

 R^1 , R^2 , R^3 and R^6 independently are H or optionally substituted C_{1-4} alkyl;

R⁷ is H, optionally substituted aryl, optionally substituted alkyl or optionally heterocyclyl; or

R⁶ and R⁷ together with the nitrogen atom to which they are attached represent an optionally substituted 5 or 6 membered aliphatic or aromatic ring;

x is 0.1 to 3.8;

25 y is 0.1 to 3.8;

z is 0.1 to 3.8;

the sum of (x+y+z) is 4; and

the substituents, represented by x, y and z, are attached only to a $\beta\text{-position}$ on the phthalocyanine ring.

30

20

6. A mixture of phthalocyanine dyes according to any one of claims 1 to 4 of Formula (3) and salts thereof:

$$(SO_3H)_x$$
 $CuPc = (SO_2NR^1R^2)_y$
 $(SO_2NR^3L^2NR^8R^9)_z$

5

Formula (3)

wherein:

Pc represents a phthalocyanine nucleus of formula;

$$\beta \xrightarrow{\beta} \alpha \xrightarrow{N \xrightarrow{\alpha} N \xrightarrow{\beta} \beta} \beta \xrightarrow{\beta} \alpha \xrightarrow{\beta}$$

10

L2 is optionally substituted C1-4 alkylene;

 R^1 , R^2 , R^3 and R^8 independently are H or methyl;

R⁹ is H or phenyl bearing at least one sulfo, carboxy or phosphato substituent and having further optional substituents; or

15

R⁸ and R⁹ together with the nitrogen atom to which they are attached represent an optionally substituted 5- or 6- membered aliphatic or aromatic ring;

x is 0.1 to 3.8:

y is 0.1 to 3.8;

z is 0.1 to 3.8;

20

the sum of (x+y+z) is 4;and

the substituents, represented by x, y and z, are attached only to a β -position on the phthalocyanine ring.

- 7. A composition comprising a mixture of phthalocyanine dyes according to any one of claims 1 to 7 and a liquid medium.
 - 8. A composition according to claim 7 wherein the liquid media comprises a mixture of water and organic solvent or organic solvent free from water.
- 30 9. A composition according to either claim 7 or claim 8 wherein at least 70% by

5

15

weight of the total amount of phthalocyanine dye is of Formula (1).

- 10. A composition according to claim 9 wherein at least 95% by weight of the total amount of phthalocyanine dye is of Formula (1).
- 11. A composition according to any one of claims 7 to 10 which is an ink suitable for use in an ink jet printer.
- 12. A process for forming an image on a substrate comprising applying an ink according
 to claim 11 thereto by means of an ink-jet printer.
 - 13. A material printed with a composition according to any one of claims 7 to 11 or a mixture of phthalocyanine dyes as described in any one of claims 1 to 6 or by a process according to claim 12.
 - 14. An ink-jet printer cartridge comprising a chamber and an ink wherein the ink is in the chamber and the ink is as defined in claim 11.